


Churchill County

Radon Potential by Zip Code



Radon is a colorless, odorless, and tasteless radioactive gas that occurs naturally in most rocks and soils. It is produced by the decay of uranium in soil, rock and water. Radon is harmlessly dispersed in outdoor air, but when trapped in buildings it can build up, increasing the risk of lung cancer.

The EPA Action Level: The U.S. EPA recommends that you take action to reduce radon levels that are 4.0 pCi/l or higher.

The EPA and the U.S. Surgeon General recommends all homes be tested for radon.

FOR MORE INFORMATION

Call the Radon Hotline:
888-RADON10
Visit: www.RadonNV.com

Nevada
Radon
Education Program



Churchill County Zip Codes	89406 Fallon	P.O. Box 89407 Fallon	P.O. Box 89496 NAS Fallon	County Totals	
Total Number of Tests					
Valid Tests	471	9	1	481	
Less than 4 pCi/l	391	8	1	400	
4 pCi/l and greater	80	1	-	81	
% Radon Potential	17.0%	11.1%*	0%	16.8%	
Range of Radon Levels in pCi/l					% of Total Tests
≥ 0 < 4	391	8	1	400	83%
≥ 4 < 10	76	1	-	77	16%
≥ 10 < 20	4	-	-	4	1%
≥ 20 < 50	-	-	-	-	0%
≥ 50 < 100	-	-	-	-	0%
≥ 100	-	-	-	-	0%
Radon Levels by pCi/l					
Average	2.77	2.41	3.00	2.76	
Highest	16.4	5.4	3.0		

*Small sample size: more testing is needed to reference reliable radon potential for this area.

**Note: Results are based on independently tested home data from program-provided kits, radon professionals and radon labs, from 1989 to June 30, 2018. When known, post-mitigation results are not included and usable results are valid tests, one per home, using the highest radon level on the lowest tested level of the home.

